

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)
[Citations](#)

IEC 60245-5:1994 Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 5: Lift cables

[View on Information Provider website](#)

Abbreviation

IEC 60245-5:1994

Version

2nd Edition

Valid from

07/07/1994

Information provider

International Electrotechnical Commission

Author

International Electrotechnical Commission

Information type

IEC Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

Details the particular specifications for rubber insulated lift cables of rated voltage of 300/500 V.

Each cable should comply with the appropriate requirements given in IEC 245-1 and the particular requirements of this part.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

IEC 60245-5:1994 Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 5: Lift cables

This document is CITED BY:

- [AS/NZS 60598.2.2:2001](#)

IEC 60245-5:1994 is cited by AS/NZS 60598.2.2:2001 Luminaires - Particular requirements - Recessed luminaires

- [BS EN 81-20:2014](#)

IEC 60245-5:1994 is cited by BS EN 81-20:2014 Safety rules for the construction and installation of lifts. Lifts for the transport of persons and goods. Part 20: Passenger and goods passenger lifts

Back

IEC 60245-5:1994 Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 5: Lift cables

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Details the particular specifications for rubber insulated lift cables of rated voltage of 300/500 V.

Each cable should comply with the appropriate requirements given in IEC 245-1 and the particular requirements of this part.

[View on Information Provider website](#)

[IEC 60245-5:1994 Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 5: Lift cables](#)

Description

Details the particular specifications for rubber insulated lift cables of rated voltage of 300/500 V.

Each cable should comply with the appropriate requirements given in IEC 245-1 and the particular requirements of this part.

[View on Information Provider website](#)

This resource does not cite any other resources.

IEC 60245-5:1994 Rubber insulated cables - Rated voltages up to and including 450/750 V - Part 5: Lift cables

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

Feedback

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)