

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

Save

Email

[Resource detail](#)
[Citations](#)

IEC 60896-11:2002 Stationary lead-acid batteries - Part 11: Vented types - General requirements and methods of tests

[View on Information Provider website](#)

{{ linkText }}

Abbreviation
IEC 60896-11:2002
Version
1.0 b (2002)
Valid from
04/12/2002

Information provider
Standards New Zealand
Author
International Electrotechnical Commission
Information type
IEC Standard
Format
PDF

Cited By
[This resource is cited by 1 document \(show Citations\)](#)

Description

This part of IEC 60896 is applicable to lead-acid cells and batteries which are designed for service in fixed locations (i.e. not habitually to be moved from place to place) and which are permanently connected to the load and to the d.c. power supply.

Batteries operating in such applications are called "stationary batteries".

Any type or construction of lead-acid battery may be used for stationary battery applications.

This part 11 of the standard is applicable to vented types only.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

{{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

IEC 60896-11:2002 Stationary lead-acid batteries - Part 11: Vented types - General requirements and methods of tests

- [NZS 4541:2013](#)

IEC 60896-11:2002 is cited by NZS 4541:2013 Automatic fire sprinkler systems

Back

IEC 60896-11:2002 Stationary lead-acid batteries - Part 11: Vented types - General requirements and methods of tests

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This part of IEC 60896 is applicable to lead-acid cells and batteries which are designed for service in fixed locations (i.e. not habitually to be moved from place to place) and which are permanently connected to the load and to the d.c. power supply.

Batteries operating in such applications are called "stationary batteries".

Any type or construction of lead-acid battery may be used for stationary battery applications.

This part 11 of the standard is applicable to vented types only.

[View on Information Provider website](#)

[IEC 60896-11:2002 Stationary lead-acid batteries - Part 11: Vented types - General requirements and methods of tests](#)

Description

This part of IEC 60896 is applicable to lead-acid cells and batteries which are designed for service in fixed locations (i.e. not habitually to be moved from place to place) and which are permanently connected to the load and to the d.c. power supply.

Batteries operating in such applications are called "stationary batteries".

Any type or construction of lead-acid battery may be used for stationary battery applications.

This part 11 of the standard is applicable to vented types only.

[View on Information Provider website](#)

This resource does not cite any other resources.

IEC 60896-11:2002 Stationary lead-acid batteries - Part 11: Vented types - General requirements and methods of tests

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)

- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)