

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

IEC 61249-2-7:2002 Materials for printed boards and other interconnecting structures - Part 2-7: Reinforced base materials clad and unclad - Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad

[View on Information Provider website](#)

Abbreviation
IEC 61249-2-7:2002
Version
Edition 1.0
Valid from
05/03/2002

Information provider
International Electrotechnical Commission
Author
International Electrotechnical Commission
Information type
IEC Standard
Format
PDF

Cited By
[This resource is cited by 1 document \(show Citations\)](#)

Description

This part of IEC 61249 gives requirements for properties of epoxide woven E-glass laminated sheet 0,05 mm up to 3,2 mm, of defined flammability, copper-clad.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

IEC 61249-2-7:2002 Materials for printed boards and other interconnecting structures - Part 2-7: Reinforced base materials clad and unclad - Epoxide

woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad

This document is CITED BY:

- [BS EN 115-1:2008](#)

IEC 61249-2-7:2002 is cited by BS EN 115-1:2008 Safety of escalators and moving walks Part 1: Construction and installation

Back

IEC 61249-2-7:2002 Materials for printed boards and other interconnecting structures - Part 2-7: Reinforced base materials clad and unclad - Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This part of IEC 61249 gives requirements for properties of epoxide woven E-glass laminated sheet 0,05 mm up to 3,2 mm, of defined flammability, copper-clad.

[View on Information Provider website](#)

[IEC 61249-2-7:2002 Materials for printed boards and other interconnecting structures - Part 2-7: Reinforced base materials clad and unclad - Epoxide woven E-glass laminated sheet of defined flammability \(vertical burning test\), copper-clad](#)

Description

This part of IEC 61249 gives requirements for properties of epoxide woven E-glass laminated sheet 0,05 mm up to 3,2 mm, of defined flammability, copper-clad.

[View on Information Provider website](#)

This resource does not cite any other resources.

IEC 61249-2-7:2002 Materials for printed boards and other interconnecting structures - Part 2-7: Reinforced base materials clad and unclad - Epoxide woven E-glass laminated sheet of defined flammability (vertical burning test), copper-clad

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)