

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ISO 10952:2008 Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Determination of the resistance to chemical attack for the inside of a section in a deflected condition

[View on Information Provider website](#)

Abbreviation
ISO 10952:2008
Valid from
02/10/2008
Replaces

Information provider
Standards New Zealand
Author
International Organization for Standardization
Information type
ISO Standard
Format
PDF

Cited By
[This resource is cited by 1 document \(show Citations\)](#)

Description

ISO 10952:2008 specifies a method for determining the chemical resistance properties of glass-reinforced thermosetting plastics (GRP) pipes and fittings in a deflected condition for nominal sizes DN 100 and larger.

In conjunction with ISO 10928, ISO 10952:2008 provides a method for evaluating the effect of a chemical environment on the interior of a pipe or fitting after a specified period of time. Test conditions and requirements are specified in the referring standards such as ISO 10467.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 10952:2008 Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Determination of the resistance to chemical attack for the inside of a section in a

deflected condition

This document is CITED BY:

- [AS 3571.1-2009](#)

ISO 10952:2008 is cited by AS 3571.1-2009 Plastics piping systems - Glass-reinforced thermoplastics (GRP) systems based on unsaturated polyester (UP) resin. Part 1: Pressure and non-pressure drainage and sewerage (ISO 10467:2004 MOD)

Back

ISO 10952:2008 Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Determination of the resistance to chemical attack for the inside of a section in a deflected condition

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

ISO 10952:2008 specifies a method for determining the chemical resistance properties of glass-reinforced thermosetting plastics (GRP) pipes and fittings in a deflected condition for nominal sizes DN 100 and larger.

In conjunction with ISO 10928, ISO 10952:2008 provides a method for evaluating the effect of a chemical environment on the interior of a pipe or fitting after a specified period of time. Test conditions and requirements are specified in the referring standards such as ISO 10467.

[View on Information Provider website](#)

[ISO 10952:2008 Plastics piping systems — Glass-reinforced thermosetting plastics \(GRP\) pipes and fittings — Determination of the resistance to chemical attack for the inside of a section in a deflected condition](#)

Description

ISO 10952:2008 specifies a method for determining the chemical resistance properties of glass-reinforced thermosetting plastics (GRP) pipes and fittings in a deflected condition for nominal sizes DN 100 and larger.

In conjunction with ISO 10928, ISO 10952:2008 provides a method for evaluating the effect of a chemical environment on the interior of a pipe or fitting after a specified period of time. Test conditions and requirements are specified in the referring standards such as ISO 10467.

[View on Information Provider website](#)

This resource does not cite any other resources.

ISO 10952:2008 Plastics piping systems — Glass-reinforced thermosetting plastics (GRP) pipes and fittings — Determination of the resistance to chemical attack for the inside of a section in a deflected condition

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)