

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## ISO 11357-6:2008 Plastics - Differential scanning calorimetry (DSC) Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)

[View on Information Provider website](#)

Abbreviation  
ISO 11357-6:2008  
Valid from  
10/06/2008

---

Information provider  
Standards New Zealand  
Author  
International Organization for Standardization  
Information type  
ISO Standard  
Format  
PDF

---

Cited By  
[This resource is cited by 2 documents \(show Citations\)](#)

### Description

ISO 11357-6:2008 specifies methods for the determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT) of polymeric materials by means of differential scanning calorimetry (DSC).

It is applicable to polyolefin resins that are in a fully stabilized or compounded form, either as raw materials or finished products. It may be applicable to other plastics.

**For assistance with locating previous versions, please contact the information provider.**

[View on Information Provider website](#)

**For assistance with locating previous versions, please contact the information provider.**

**This resource is cited by:**

**ISO 11357-6:2008 Plastics - Differential scanning calorimetry (DSC) Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic**

# OIT)

This document is CITED BY:

- [AS/NZS 4130:2009](#)

ISO 11357-6:2008 is cited by AS/NZS 4130:2009 Polyethylene (PE) pipes for pressure applications

- [AS/NZS 4130:2018](#)

ISO 11357-6:2008 is cited by AS/NZS 4130:2018 Polyethylene (PE) pipes for pressure applications

Back

## **ISO 11357-6:2008 Plastics - Differential scanning calorimetry (DSC) Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)**

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

ISO 11357-6:2008 specifies methods for the determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT) of polymeric materials by means of differential scanning calorimetry (DSC).

It is applicable to polyolefin resins that are in a fully stabilized or compounded form, either as raw materials or finished products. It may be applicable to other plastics.

[View on Information Provider website](#)

[ISO 11357-6:2008 Plastics - Differential scanning calorimetry \(DSC\) Part 6: Determination of oxidation induction time \(isothermal OIT\) and oxidation induction temperature \(dynamic OIT\)](#)

### Description

ISO 11357-6:2008 specifies methods for the determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT) of polymeric materials by means of differential scanning calorimetry (DSC).

It is applicable to polyolefin resins that are in a fully stabilized or compounded form, either as raw materials or finished products. It may be applicable to other plastics.

[View on Information Provider website](#)

This resource does not cite any other resources.

## **ISO 11357-6:2008 Plastics - Differential scanning calorimetry (DSC) Part 6: Determination of oxidation induction time (isothermal OIT) and oxidation induction temperature (dynamic OIT)**

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print Save Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)