

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ISO 1183-1:2004 Immersion method, liquid pyknometer method and titration method

[View on Information Provider website](#)

Abbreviation
ISO 1183-1:2004
Valid from
19/01/2004

Information provider
Standards New Zealand
Author
ISO
Information type
ISO Standard
Format
PDF

Cited By
[This resource is cited by 1 document \(show Citations\)](#)

Description

ISO 1183-1:2004 specifies three methods for the determination of the density of non-cellular plastics in the form of void-free moulded or extruded objects, as well as powders, flakes, and granules.

- Method A: Immersion method, for solid plastics (except for powders) in void-free form.
- Method B: Liquid pyknometer method, for particles, powders, flakes, granules or small pieces of finished parts.
- Method C: Titration method, for plastics in any void-free form. This part of ISO 1183 is applicable to pellets as long as they are void-free.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 1183-1:2004 Immersion method, liquid pyknometer method and titration method

This document is CITED BY:

- [AS/NZS 2642.1:2007](#)

ISO 1183-1:2004 is cited by AS/NZS 2642.1:2007 Polybutylene pipe systems - Polybutylene (PB) pipe extrusion compounds

Back

ISO 1183-1:2004 Immersion method, liquid pycnometer method and titration method

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

ISO 1183-1:2004 specifies three methods for the determination of the density of non-cellular plastics in the form of void-free moulded or extruded objects, as well as powders, flakes, and granules.

- Method A: Immersion method, for solid plastics (except for powders) in void-free form.
- Method B: Liquid pycnometer method, for particles, powders, flakes, granules or small pieces of finished parts.
- Method C: Titration method, for plastics in any void-free form. This part of ISO 1183 is applicable to pellets as long as they are void-free.

[View on Information Provider website](#)

[ISO 1183-1:2004 Immersion method, liquid pycnometer method and titration method](#)

Description

ISO 1183-1:2004 specifies three methods for the determination of the density of non-cellular plastics in the form of void-free moulded or extruded objects, as well as powders, flakes, and granules.

- Method A: Immersion method, for solid plastics (except for powders) in void-free form.
- Method B: Liquid pycnometer method, for particles, powders, flakes, granules or small pieces of finished parts.
- Method C: Titration method, for plastics in any void-free form. This part of ISO 1183 is applicable to pellets as long as they are void-free.

[View on Information Provider website](#)

This resource does not cite any other resources.

ISO 1183-1:2004 Immersion method, liquid pycnometer method and titration method

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)

- [Copyright](#)

--	--	--

--

[Feedback](#)