

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

# ISO 13845:2000 Plastics piping systems — Elastomeric-sealing-ring-type socket joints for use with unplasticized poly(vinyl chloride) (PVC-U) pipes — Test method for leaktightness under internal pressure and with angular deflection

[View on Information Provider website](#)

Abbreviation  
ISO 13845:2000  
Valid from  
23/03/2000

---

Information provider  
Standards New Zealand  
Author  
International Organization for Standardization  
Information type  
ISO Standard  
Format  
Hard copy, PDF

---

Cited By  
[This resource is cited by 1 document \(show Citations\)](#)

---

## Description

This Standard defines a method for testing the leaktightness of assemblies of unplasticized poly (vinyl chloride) (PVC-U) pipes with elastomeric sealing-ring-type-socket joints including: double sockets; single sockets of pipes; and sockets of fittings. Also applicable to elastomeric-sealing-ring-type sockets made of ductile cast iron for use with PVC-U pressure piping.

## Scope

This standard specifies a method for testing the leaktightness of assemblies of unplasticized poly(vinyl chloride) (PVC-U) pipes with elastomeric sealing-ring-type socket joints including:

- single sockets of pipes;
- double sockets;
- sockets of fittings.

It is also applicable to elastomeric-sealing-ring-type sockets made of ductile cast iron for use with PVC-U pressure piping.

**For assistance with locating previous versions, please contact the information provider.**

[View on Information Provider website](#)

This resource is cited by:

## **ISO 13845:2000 Plastics piping systems — Elastomeric-sealing-ring-type socket joints for use with unplasticized poly(vinyl chloride) (PVC-U) pipes — Test method for leaktightness under internal pressure and with angular deflection**

This document is CITED BY:

- [AS/NZS 4765:2007](#)

ISO 13845:2000 is cited by AS/NZS 4765:2007 Modified polyvinyl chloride (PVC-M) pipes for pressure applications

Back

## **ISO 13845:2000 Plastics piping systems — Elastomeric-sealing-ring-type socket joints for use with unplasticized poly(vinyl chloride) (PVC-U) pipes — Test method for leaktightness under internal pressure and with angular deflection**

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard defines a method for testing the leaktightness of assemblies of unplasticized poly (vinyl chloride) (PVC-U) pipes with elastomeric sealing-ring-type-socket joints including: double sockets; single sockets of pipes; and sockets of fittings. Also applicable to elastomeric-sealing-ring-type sockets made of ductile cast iron for use with PVC-U pressure piping.

[View on Information Provider website](#)

[ISO 13845:2000 Plastics piping systems — Elastomeric-sealing-ring-type socket joints for use with unplasticized poly\(vinyl chloride\) \(PVC-U\) pipes — Test method for leaktightness under internal pressure and with angular deflection](#)

### Description

This Standard defines a method for testing the leaktightness of assemblies of unplasticized poly (vinyl chloride) (PVC-U) pipes with elastomeric sealing-ring-type-socket joints including: double sockets; single sockets of pipes; and sockets of fittings. Also applicable to elastomeric-sealing-ring-type sockets made of ductile cast iron for use with PVC-U pressure piping.

[View on Information Provider website](#)

This resource does not cite any other resources.

## **ISO 13845:2000 Plastics piping systems — Elastomeric-sealing-ring-type socket joints for use with unplasticized poly(vinyl chloride) (PVC-U) pipes — Test method for leaktightness under internal pressure and with angular deflection**

This resource does not CITE any other resources.

Back

Close

## Table of Contents

[Print](#) [Save](#) [Email](#)

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)