

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Print](#) [Save](#) [Email](#)

[Resource detail](#)

[Citations](#)

## ISO 15983:2002 Open end blind rivets with break pull mandrel and protruding head -- A2/A2

[View on Information Provider website](#)

Abbreviation

ISO 15983:2002

Valid from

01/11/2002

---

Information provider

Standards New Zealand

Author

International Organisation for Standardization

Information type

ISO Standard

Format

PDF, Hard copy

---

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

Description

ISO 15983 specifies dimensional and mechanical characteristics and application data for open end blind rivets with break pull mandrel and protruding head, with an austenitic stainless steel body (A2) and an austenitic stainless steel mandrel (A2) and with nominal diameters from 3 mm up to and including 5 mm.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

**ISO 15983:2002 Open end blind rivets with break pull mandrel and protruding head -- A2/A2**

This document is CITED BY:

- [AS/NZS 5131:2016](#)

ISO 15983:2002 is cited by AS/NZS 5131:2016 Structural steelwork - Fabrication and erection

Back

## ISO 15983:2002 Open end blind rivets with break pull mandrel and protruding head -- A2/A2

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

ISO 15983 specifies dimensional and mechanical characteristics and application data for open end blind rivets with break pull mandrel and protruding head, with an austenitic stainless steel body (A2) and an austenitic stainless steel mandrel (A2) and with nominal diameters from 3 mm up to and including 5 mm.

[View on Information Provider website](#)

[ISO 15983:2002 Open end blind rivets with break pull mandrel and protruding head -- A2/A2](#)

### Description

ISO 15983 specifies dimensional and mechanical characteristics and application data for open end blind rivets with break pull mandrel and protruding head, with an austenitic stainless steel body (A2) and an austenitic stainless steel mandrel (A2) and with nominal diameters from 3 mm up to and including 5 mm.

[View on Information Provider website](#)

This resource does not cite any other resources.

## ISO 15983:2002 Open end blind rivets with break pull mandrel and protruding head -- A2/A2

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

  
    

- [Contact us](#)

- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)