

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ISO 2505:2005 Thermoplastics pipes - Longitudinal reversion - Test method and parameters

[View on Information Provider website](#)

Abbreviation

ISO 2505:2005

Valid from

25/05/2005

Information provider

Standards New Zealand

Author

International Organization for Standardization

Information type

ISO Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This International standard specifies a method for determining the longitudinal reversion of thermoplastics pipes, to be carried out in either a liquid or in air. In case of dispute, the heated liquid is used as the reference.

Scope

This International Standard is applicable to all thermoplastics pipes with smooth internal and external walls of constant cross-section.

It is not applicable to non-smooth structured-wall thermoplastics pipes. The parameters appropriate to the pipe material and recommendations for the maximum levels of reversion as a function of the pipe material are given in Annex A.

Note: Measurement of longitudinal reversion is not considered relevant for pipe wall thickness greater than 16 mm.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 2505:2005 Thermoplastics pipes - Longitudinal reversion - Test method and parameters

This document is CITED BY:

- [AS/NZS 4401:2006](#)

ISO 2505:2005 is cited by AS/NZS 4401:2006 Plastics piping systems for soil and waste discharge (low and high temperature) inside buildings - Polyethylene (PE)

Back

ISO 2505:2005 Thermoplastics pipes - Longitudinal reversion - Test method and parameters

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This International standard specifies a method for determining the longitudinal reversion of thermoplastics pipes, to be carried out in either a liquid or in air. In case of dispute, the heated liquid is used as the reference.

[View on Information Provider website](#)

[ISO 2505:2005 Thermoplastics pipes - Longitudinal reversion - Test method and parameters](#)

Description

This International standard specifies a method for determining the longitudinal reversion of thermoplastics pipes, to be carried out in either a liquid or in air. In case of dispute, the heated liquid is used as the reference.

[View on Information Provider website](#)

This resource does not cite any other resources.

ISO 2505:2005 Thermoplastics pipes - Longitudinal reversion - Test method and parameters

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)