

Menu

- [Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

## ISO 2592:2000 Determination of flash and fire points - Cleveland open cup method

[View on Information Provider website](#)

Abbreviation

ISO 2592:2000

Valid from

01/09/2000

Replaces

---

Information provider

International Organisation for Standardization

Author

International Organisation for Standardization

Information type

ISO Standard

Format

PDF

---

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

Description

This International standard specifies a procedure for the determination of flash and fire points of petroleum products using the Cleveland open cup apparatus. It is applicable to petroleum products having an open cup flash point above 79°C, except fuel oils, which are most commonly tested by the closed cup procedure.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## ISO 2592:2000 Determination of flash and fire points - Cleveland open cup method

This document is CITED BY:

- [BS EN 13121-3:2008](#)

ISO 2592:2000 is cited by BS EN 13121-3:2008 GRP tanks and vessels for use above ground. Design and workmanship

## ISO 2592:2000 Determination of flash and fire points - Cleveland open cup method

### Description

This International standard specifies a procedure for the determination of flash and fire points of petroleum products using the Cleveland open cup apparatus. It is applicable to petroleum products having an open cup flash point above 79° C, except fuel oils, which are most commonly tested by the closed cup procedure.

[View on Information Provider website](#)

[ISO 2592:2000 Determination of flash and fire points - Cleveland open cup method](#)

### Description

This International standard specifies a procedure for the determination of flash and fire points of petroleum products using the Cleveland open cup apparatus. It is applicable to petroleum products having an open cup flash point above 79° C, except fuel oils, which are most commonly tested by the closed cup procedure.

[View on Information Provider website](#)

This resource does not cite any other resources.

# ISO 2592:2000 Determination of flash and fire points - Cleveland open cup method

This resource does not CITE any other resources.

Back

Close

## Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)