

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

ISO 3302-1:1996 Rubber - Tolerances for products - Part 1: Dimensional tolerances

[View on Information Provider website](#)

Abbreviation

ISO 3302-1:1996

Amendment

ISO 3302-1:1996/Amd 1:2001

Valid from

18/07/1996

Information provider

Standards New Zealand

Author

International Organization for Standardization

Information type

ISO Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This part of ISO 3302 specifies classes of dimensional tolerances, and their values, for moulded, extruded and calendered solid rubber products. The relevant test methods necessary for the establishment of compliance with this International Standard are also specified. The tolerances are primarily intended for use with vulcanized rubber but may also be suitable for products made of

thermoplastic rubbers.

- This part of ISO 3302 does not apply to precision toroidal sealing rings or to calendered composite products such as rubber-coated fabrics or products where a rubber coating is applied by the process of topping or skim coating.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 3302-1:1996 Rubber - Tolerances for products - Part 1: Dimensional tolerances

This document is CITED BY:

- [AS 1646:2007](#)

ISO 3302-1:1996 is cited by AS 1646:2007 Elastomeric seals for waterworks purposes

ISO 3302-1:1996 Rubber - Tolerances for products - Part 1: Dimensional tolerances

Description

This part of ISO 3302 specifies classes of dimensional tolerances, and their values, for moulded, extruded and calendered solid rubber products. The relevant test methods necessary for the establishment of compliance with this International Standard are also specified. The tolerances are primarily intended for use with vulcanized rubber but may also be suitable for products made of thermoplastic rubbers.

- This part of ISO 3302 does not apply to precision toroidal sealing rings or to calendered composite products such as rubber-coated fabrics or products where a rubber coating is applied by the process of topping or skim coating.

[View on Information Provider website](#)

Description

This part of ISO 3302 specifies classes of dimensional tolerances, and their values, for moulded, extruded and calendered solid rubber products. The relevant test methods necessary for the establishment of compliance with this International Standard are also specified. The tolerances are primarily intended for use with vulcanized rubber but may also be suitable for products made of thermoplastic rubbers.

- This part of ISO 3302 does not apply to precision toroidal sealing rings or to calendered composite products such as rubber-coated fabrics or products where a rubber coating is applied by the process of topping or skim coating.

[View on Information Provider website](#)

This resource does not cite any other resources.

ISO 3302-1:1996 Rubber - Tolerances for products - Part 1: Dimensional tolerances

This resource does not CITE any other resources.

Table of Contents

[Save](#)

[Feedback](#)

<input type="text"/>		
<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
<input type="text"/>		

[Feedback](#)