

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

# ISO 4759-3:2000 Tolerances for fasteners - Part 3: Product grades A and C

[View on Information Provider website](#)

{{ linkText }}

Abbreviation

ISO 4759-3:2000

Valid from

11/05/2000

---

Information provider

Standards New Zealand

Author

International Standardization Organisations

Information type

ISO Standard

Format

PDF

---

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

---

Description

ISO 4759-3:2016 specifies tolerances for flat washers of product grades A and C with nominal diameters of 1 mm to 150 mm inclusive, designed to be used in bolted joints in combination with bolts, screws, studs and nuts.

Scope

This part of ISO 4759 may be applied to non-flat washers however it does not include all the tolerances related to these washers.

It applies to non-captive and captive washers, and to standard and non-standard washers.

It does not apply to dynamic disc springs.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) `{{ linkText }}`

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## ISO 4759-3:2000 Tolerances for fasteners - Part 3: Product grades A and C

This document is CITED BY:

- [BS EN 14399-1:2015](#)

ISO 4759-3:2000 is cited by BS EN 14399-1:2015 High-strength structural bolting assemblies for preloading. General requirements

- [BS EN 14399-5:2015](#)

ISO 4759-3:2000 is cited by BS EN 14399-5:2015 High-strength structural bolting assemblies for preloading. Plain washers

Back

## ISO 4759-3:2000 Tolerances for fasteners - Part 3: Product grades A and C

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

ISO 4759-3:2016 specifies tolerances for flat washers of product grades A and C with nominal diameters of 1 mm to 150 mm inclusive, designed to be used in bolted joints in combination with bolts, screws, studs and nuts.

[View on Information Provider website](#)

[ISO 4759-3:2000 Tolerances for fasteners - Part 3: Product grades A and C](#)

Description

ISO 4759-3:2016 specifies tolerances for flat washers of product grades A and C with nominal diameters of 1 mm to 150 mm inclusive, designed to be used in bolted joints in combination with bolts, screws, studs and nuts.

[View on Information Provider website](#)

This resource does not cite any other resources.

# ISO 4759-3:2000 Tolerances for fasteners - Part 3: Product grades A and C

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)