

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

## ISO 4892-3:2006 Plastics - Methods of exposure to laboratory light sources Part 3: Fluorescent UV lamps

[View on Information Provider website](#)

Abbreviation

ISO 4892-3:2006

Valid from

16/02/2006

---

Information provider

Standards New Zealand

Author

International Organization for Standardization

Information type

ISO Standard

Format

PDF

---

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

**Description**

ISO 4892-3:2006 specifies methods for exposing specimens to fluorescent UV radiation and water in apparatus to designed reproduce the weathering effects that occur when materials are exposed in actual end-use environments to daylight, or to daylight through window glass.

The specimens are exposed to fluorescent UV lamps under controlled environmental conditions (temperature, humidity and/or water). Different types of fluorescent UV lamp may be used to meet all

the requirements for testing different materials.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## ISO 4892-3:2006 Plastics - Methods of exposure to laboratory light sources Part 3: Fluorescent UV lamps

This document is CITED BY:

- [AS/NZS 2845.1:2010](#)

ISO 4892-3:2006 is cited by AS/NZS 2845.1:2010 Water supply - Backflow prevention devices - Part 1: Materials, design and performance requirements

## ISO 4892-3:2006 Plastics - Methods of exposure to laboratory light sources Part 3: Fluorescent UV lamps

### Description

ISO 4892-3:2006 specifies methods for exposing specimens to fluorescent UV radiation and water in apparatus to designed reproduce the weathering effects that occur when materials are exposed in actual end-use environments to daylight, or to daylight through window glass.

The specimens are exposed to fluorescent UV lamps under controlled environmental conditions (temperature, humidity and/or water). Different types of fluorescent UV lamp may be used to meet all the requirements for testing different materials.

[View on Information Provider website](#)

[ISO 4892-3:2006 Plastics - Methods of exposure to laboratory light sources Part 3: Fluorescent UV lamps](#)

### Description

ISO 4892-3:2006 specifies methods for exposing specimens to fluorescent UV radiation and water

in apparatus to designed reproduce the weathering effects that occur when materials are exposed in actual end-use environments to daylight, or to daylight through window glass.

The specimens are exposed to fluorescent UV lamps under controlled environmental conditions (temperature, humidity and/or water). Different types of fluorescent UV lamp may be used to meet all the requirements for testing different materials.

[View on Information Provider website](#)

This resource does not cite any other resources.

## ISO 4892-3:2006 Plastics - Methods of exposure to laboratory light sources Part 3: Fluorescent UV lamps

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

[Feedback](#)