Ski	p to	main	content	Ski	o to	primar	y navic	ation

Menu

- Home Home
- <u>About this portal</u>
- Latest updates

Print Save Email
Resource detail
Citations

## ISO 6957:1988 Copper alloys - Ammonia test for stress corrosion resistance

View on Information Provider website {{ linkText }}

Abbreviation ISO 6957:1988 Valid from 15/09/1988

Information provider International Organisation for Standardization Author International Organization for Standardization Information type ISO Standard Format PDF

Cited By <u>This resource is cited by 2 documents (show Citations)</u>

### Description

Specifies a test, using an ammoniacal atmosphere, for the detection of applied or residual stresses which can cause failure of the material in service or storage through stress corrosion cracking. The severity of the method can be regulated by changing the pH value. In an informative annex, recommendations are given for the choice of pH-values.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

# ISO 6957:1988 Copper alloys - Ammonia test for stress corrosion resistance

This document is CITED BY:

• <u>AS 1357.1-2009</u>

ISO 6957:1988 is cited by AS 1357.1-2009 Valves primarily for use in heated water systems - Part 1: Protection valves

• <u>BS EN 1595:1997</u>

ISO 6957:1988 is cited by BS EN 1595:1997 Pressure equipment made from borosilicate glass 3.3 - general rules for design, manufacture and testing

Back

# ISO 6957:1988 Copper alloys - Ammonia test for stress corrosion resistance

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Specifies a test, using an ammoniacal atmosphere, for the detection of applied or residual stresses which can cause failure of the material in service or storage through stress corrosion cracking. The severity of the method can be regulated by changing the pH value. In an informative annex, recommendations are given for the choice of pH-values.

#### Description

Specifies a test, using an ammoniacal atmosphere, for the detection of applied or residual stresses which can cause failure of the material in service or storage through stress corrosion cracking. The severity of the method can be regulated by changing the pH value. In an informative annex, recommendations are given for the choice of pH-values.

## View on Information Provider website

This resource does not cite any other resources.

## ISO 6957:1988 Copper alloys - Ammonia test for stress corrosion resistance

This resource does not CITE any other resources.



Close

## **Table of Contents**



- <u>Contact us</u>
- Privacy policy
- **Disclaimer**
- Copyright



### **Feedback**