

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)

[Citations](#)

ISO 7240-15:2004 Fire detection and alarm systems Part 15: Point type fire detectors using scattered light, transmitted light or ionization sensors in combination with a heat sensor

[View on Information Provider website](#)

Abbreviation

ISO 7240-15:2004

Amendment

ISO 7240-15:2004/Cor 1:2005

Valid from

26/02/2004

Information provider

Standards New Zealand

Author

International Organization for Standardization

Information type

ISO Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

ISO 7240-15:2004 specifies requirements, test methods and performance criteria for point-type resettable multisensor fire detectors for use in fire detection systems installed in buildings, incorporating in one mechanical enclosure at least one smoke sensor and at least one other sensor which responds to heat, and in which the signal(s) of the smoke sensor(s) is/are combined with the signal(s) of the heat sensor(s).

The performance of single components within a multisensor fire detector covered by this standard may not be sufficient for conformity to other standards for the single sensor.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 7240-15:2004 Fire detection and alarm systems Part 15: Point type fire detectors using scattered light, transmitted light or ionization sensors in combination with a heat sensor

This document is CITED BY:

- [NZS 4512:2010](#)

ISO 7240-15:2004 is cited by NZS 4512:2010 Fire detection and alarm systems in buildings

Back

ISO 7240-15:2004 Fire detection and alarm systems Part 15: Point type fire detectors using scattered light, transmitted light or ionization sensors in combination with a heat sensor

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

ISO 7240-15:2004 specifies requirements, test methods and performance criteria for point-type resettable multisensor fire detectors for use in fire detection systems installed in buildings, incorporating in one mechanical enclosure at least one smoke sensor and at least one other sensor which responds to heat, and in which the signal(s) of the smoke sensor(s) is/are combined with the signal(s) of the heat sensor(s).

The performance of single components within a multisensor fire detector covered by this standard may not be sufficient for conformity to other standards for the single sensor.

[View on Information Provider website](#)

[ISO 7240-15:2004 Fire detection and alarm systems Part 15: Point type fire detectors using scattered light, transmitted light or ionization sensors in combination with a heat sensor](#)

Description

ISO 7240-15:2004 specifies requirements, test methods and performance criteria for point-type resettable multisensor fire detectors for use in fire detection systems installed in buildings, incorporating in one mechanical enclosure at least one smoke sensor and at least one other sensor which responds to heat, and in which the signal(s) of the smoke sensor(s) is/are combined with the signal(s) of the heat sensor(s).

The performance of single components within a multisensor fire detector covered by this standard may not be sufficient for conformity to other standards for the single sensor.

[View on Information Provider website](#)

This resource does not cite any other resources.

ISO 7240-15:2004 Fire detection and alarm systems Part 15: Point type fire detectors using scattered light, transmitted light or ionization sensors in combination with a heat sensor

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)