| Skip to main content Skip to primary navigation | |
|---|--|
| Menu | |
| Home Home About this portal Latest updates | |
| | |
| Print Save Email Resource detail | |
| Citations | |

ISO 7240-8:2007Fire detection and alarm systems Part 8: Carbon monoxide fire detectors using an electro-chemical cell in combination with a heat sensor

View on Information Provider website {{ linkText }}

Abbreviation ISO 7240-8:2007 Valid from

13/08/2007

13/06/2007

Information provider

Standards New Zealand

Author

International Organization for Standardization

Information type

ISO Standard

Format

PDF

Cited By

This resource is cited by 1 document (show Citations)

Description

ISO 7240-8:2007 specifies requirements, test methods and performance criteria for point multi-sensor fire detectors that incorporate an electrochemical cell for sensing carbon monoxide (CO) in combination with one or more heat sensors, for use in fire detection and alarm systems installed in buildings.

For the testing of other types of CO multi-sensor fire detectors, or CO and heat multi-sensor fire detectors working on different principles, ISO 7240-8:2007 can be used for guidance.

CO and heat multi-sensor fire detectors with special characteristics and developed for specific risks are not covered by ISO 7240-8:2007.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 7240-8:2007Fire detection and alarm systems Part 8: Carbon monoxide fire

detectors using an electro-chemical cell in combination with a heat sensor

This document is CITED BY:

NZS 4512:2010

ISO 7240-8:2007 is cited by NZS 4512:2010 Fire detection and alarm systems in buildings



ISO 7240-8:2007Fire detection and alarm systems Part 8: Carbon monoxide fire detectors using an electro-chemical cell in combination with a heat sensor

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

ISO 7240-8:2007 specifies requirements, test methods and performance criteria for point multi-sensor fire detectors that incorporate an electrochemical cell for sensing carbon monoxide (CO) in combination with one or more heat sensors, for use in fire detection and alarm systems installed in buildings.

For the testing of other types of CO multi-sensor fire detectors, or CO and heat multi-sensor fire detectors working on different principles, ISO 7240-8:2007 can be used for guidance.

CO and heat multi-sensor fire detectors with special characteristics and developed for specific risks are not covered by ISO 7240-8:2007.

View on Information Provider website

ISO 7240-8:2007Fire detection and alarm systems Part 8: Carbon monoxide fire detectors using an electro-chemical cell in combination with a heat sensor

Description

ISO 7240-8:2007 specifies requirements, test methods and performance criteria for point multi-sensor fire detectors that incorporate an electrochemical cell for sensing carbon monoxide (CO) in combination with one or more heat sensors, for use in fire detection and alarm systems installed in buildings.

For the testing of other types of CO multi-sensor fire detectors, or CO and heat multi-sensor fire detectors working on different principles, ISO 7240-8:2007 can be used for guidance.

CO and heat multi-sensor fire detectors with special characteristics and developed for specific risks are not covered by ISO 7240-8:2007.

View on Information Provider website

This resource does not cite any other resources.

ISO 7240-8:2007Fire detection and alarm systems Part 8: Carbon monoxide fire detectors using an electro-chemical cell in combination with a heat sensor

This resource does not CITE any other resources.



Table of Contents

| Print Save Email | |
|---------------------------------------|---|
| <u>Feedback</u> | |
| | |
| | |
| | _ |
| • Contact us | |
| Privacy policy | |
| <u>Disclaimer</u> | |
| Copyright | |
| | |
| | |
| | |

<u>Feedback</u>