

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

ISO 7390:2002 Building construction - Jointing products - Determination of resistance to flow of sealants

[View on Information Provider website](#)

Abbreviation

ISO 7390:2002

Valid from

17/10/2002

Information provider

Standards New Zealand

Author

ISO

Information type

ISO Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This International Standard specifies a method for the determination of the resistance to flow of sealants, by loss of cohesion under their own weight.

These sealants are used in joints in vertical surfaces in building construction.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) `{{ linkText }}`

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 7390:2002 Building construction - Jointing products - Determination of resistance to flow of sealants

This document is CITED BY:

- [ISO 11600:2002](#)

ISO 7390:2002 is cited by ISO 11600:2002 Building Construction - Jointing products. Classification and requirements for sealants

Back

ISO 7390:2002 Building construction - Jointing products - Determination of resistance to flow of sealants

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This International Standard specifies a method for the determination of the resistance to flow of sealants, by loss of cohesion under their own weight.

These sealants are used in joints in vertical surfaces in building construction.

[View on Information Provider website](#)

[ISO 7390:2002 Building construction - Jointing products - Determination of resistance to flow of sealants](#)

Description

This International Standard specifies a method for the determination of the resistance to flow of sealants, by loss of cohesion under their own weight.

These sealants are used in joints in vertical surfaces in building construction.

[View on Information Provider website](#)

This resource does not cite any other resources.

ISO 7390:2002 Building construction - Jointing products - Determination of resistance to flow of sealants

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

--	--	--

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

[Feedback](#)