

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

ISO 7619-1:2010 Preview Rubber, vulcanized or thermoplastic - Determination of indentation hardness - Part 1: Durometer method (Shore hardness)

[View on Information Provider website](#)

Abbreviation

ISO 7619-1:2010

Version

Edition 2

Valid from

01/10/2010

Information provider

International Organisation for Standardization

Author

International Organisation for Standardization

Information type

ISO Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard specifies a method for determining the indentation hardness (Shore hardness) of vulcanized or thermoplastic rubber by means of durometers using:

- A scale for rubbers in the normal-hardness range;
- D scale for rubbers in the high-hardness range;
- AO scale for rubbers in the low-hardness range and for cellular rubbers;
- AM scale for thin rubber test pieces in the normal-hardness range.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 7619-1:2010 Preview Rubber, vulcanized or thermoplastic - Determination of indentation hardness - Part 1: Durometer method (Shore hardness)

This document is CITED BY:

- [AS 4586:2013](#)

ISO 7619-1:2010 is cited by AS 4586:2013 Slip resistance classification of new pedestrian surface materials

ISO 7619-1:2010 Preview Rubber, vulcanized or thermoplastic - Determination of indentation hardness - Part 1: Durometer method (Shore hardness)

Description

This Standard specifies a method for determining the indentation hardness (Shore hardness) of vulcanized or thermoplastic rubber by means of durometers using:

- A scale for rubbers in the normal-hardness range;
- D scale for rubbers in the high-hardness range;
- AO scale for rubbers in the low-hardness range and for cellular rubbers;
- AM scale for thin rubber test pieces in the normal-hardness range.

[View on Information Provider website](#)

[ISO 7619-1:2010 Preview Rubber, vulcanized or thermoplastic - Determination of indentation hardness - Part 1: Durometer method \(Shore hardness\)](#)

Description

This Standard specifies a method for determining the indentation hardness (Shore hardness) of vulcanized or thermoplastic rubber by means of durometers using:

- A scale for rubbers in the normal-hardness range;
- D scale for rubbers in the high-hardness range;
- AO scale for rubbers in the low-hardness range and for cellular rubbers;
- AM scale for thin rubber test pieces in the normal-hardness range.

[View on Information Provider website](#)

This resource does not cite any other resources.

ISO 7619-1:2010 Preview Rubber, vulcanized or thermoplastic - Determination of indentation hardness - Part 1: Durometer method (Shore hardness)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

<input type="text"/>	<input type="text"/>	<input type="text"/>
----------------------	----------------------	----------------------

[Feedback](#)