

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

ISO 8339:1984 Building construction - Jointing products - Sealants - Determination of tensile properties

[View on Information Provider website](#)

Abbreviation

ISO 8339:1984

Valid from

01/11/1984

Information provider

International Organisation for Standardization

Author

International Organisation for Standardization

Information type

ISO Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This standard specifies a method for the determination of the tensile properties of sealants used in joints in building construction. The sealant to be tested adheres to two parallel contact surfaces of test specimens which are extended to rupture. The tensile properties are recorded on a force/strain diagram.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) `{{ linkText }}`

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ISO 8339:1984 Building construction - Jointing products - Sealants - Determination of tensile properties

This document is CITED BY:

- [ISO 11600:2002](#)

ISO 8339:1984 is cited by ISO 11600:2002 Building Construction - Jointing products. Classification and requirements for sealants

Back

ISO 8339:1984 Building construction - Jointing products - Sealants - Determination of tensile properties

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard specifies a method for the determination of the tensile properties of sealants used in joints in building construction. The sealant to be tested adheres to two parallel contact surfaces of test specimens which are extended to rupture. The tensile properties are recorded on a force/strain diagram.

[View on Information Provider website](#)

[ISO 8339:1984 Building construction - Jointing products - Sealants - Determination of tensile properties](#)

Description

This standard specifies a method for the determination of the tensile properties of sealants used in joints in building construction. The sealant to be tested adheres to two parallel contact surfaces of test specimens which are extended to rupture. The tensile properties are recorded on a force/strain diagram.

[View on Information Provider website](#)

This resource does not cite any other resources.

ISO 8339:1984 Building construction - Jointing products - Sealants - Determination of tensile properties

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

| | | |
|--|--|--|
| | | |
|--|--|--|

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

| | | |
|--|--|--|
| | | |
|--|--|--|

[Feedback](#)