

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

Keeping subfloor air out of cavities - Build 164(2018)

[Download this resource \(PDF\)](#)

Abbreviation

Keeping subfloor air out of cavities

Valid from

01/02/2018

Information provider

BRANZ Limited

Information type

BUILD article

Format

PDF

Description

When a building has a suspended timber floor, it's a requirement of E2/AS1 to stop subfloor air from entering the drained cavity.

The Building Code doesn't say how to do this, but we have an option.

For assistance with locating previous versions, please contact the information provider.

[Download this resource \(PDF\)](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Keeping subfloor air out of cavities - Build 164(2018)

This document is not CITED BY any other resources:

Back

Keeping subfloor air out of cavities - Build 164(2018)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

When a building has a suspended timber floor, it's a requirement of E2/AS1 to stop subfloor air from entering the drained cavity.

The Building Code doesn't say how to do this, but we have an option.

[Download this resource \(PDF\)](#)

[Keeping subfloor air out of cavities - Build 164\(2018\)](#)

Description

When a building has a suspended timber floor, it's a requirement of E2/AS1 to stop subfloor air from entering the drained cavity.

The Building Code doesn't say how to do this, but we have an option.

[Download this resource \(PDF\)](#)

This resource does not cite any other resources.

Keeping subfloor air out of cavities - Build 164(2018)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Redacted]

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Redacted]

[Redacted]

[Redacted]

[Redacted]

[Feedback](#)