

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

MSS SP 9 - 1987 Spot Facing for Bronze, Iron and Steel Flanges

[View on Information Provider website](#)

Abbreviation

MSS SP 9 - 1987

Valid from

01/01/1987

Information provider

IHS Markit

Author

Manufacturers Standardization Society of the Valve and Fittings Industry

Information type

Other Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This MSS Standard Practice applies to the spot facing for U.S. customary (inch series) bolting of pipe flanges in bronze, gray iron, ductile iron, or steel when cast integral with valves and fittings, as well as the companion flanges, when so required by the standard for the product.

This Standard Practice also applies to the spot facing for (SI) metric bolting used in bolted joints not covered by the referenced flange standards herein.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

MSS SP 9 - 1987 Spot Facing for Bronze, Iron and Steel Flanges

This document is CITED BY:

- [ANSI/ASME B16.1:1989](#)

MSS SP 9 - 1987 is cited by ANSI/ASME B16.1:1989 Cast iron pipe flanges and flanged fittings, Class 25, 125 , 250 and 800

- [ANSI/ASME B16.5: 1988](#)

MSS SP 9 - 1987 is cited by ANSI/ASME B16.5: 1988 Pipe flanges and flanged fittings, steel-nickel alloy and other special alloys

MSS SP 9 - 1987 Spot Facing for Bronze, Iron and Steel Flanges

Description

This MSS Standard Practice applies to the spot facing for U.S. customary (inch series) bolting of pipe flanges in bronze, gray iron, ductile iron, or steel when cast integral with valves and fittings, as well as the companion flanges, when so required by the standard for the product.

This Standard Practice also applies to the spot facing for (SI) metric bolting used in bolted joints not covered by the referenced flange standards herein.

[View on Information Provider website](#)

[MSS SP 9 - 1987 Spot Facing for Bronze, Iron and Steel Flanges](#)

Description

This MSS Standard Practice applies to the spot facing for U.S. customary (inch series) bolting of pipe flanges in bronze, gray iron, ductile iron, or steel when cast integral with valves and fittings, as well as the companion flanges, when so required by the standard for the product.

This Standard Practice also applies to the spot facing for (SI) metric bolting used in bolted joints not covered by the referenced flange standards herein.

[View on Information Provider website](#)

This resource does not cite any other resources.

MSS SP 9 - 1987 Spot Facing for Bronze, Iron and Steel Flanges

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)