

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

Building Code Clause F6 - Visibility in escape routes

[View on Information Provider website](#)

Abbreviation

NZBC F6

Valid from

31/10/2008

Information provider

Parliamentary Counsel Office

Information type

Legislation

Format

PDF

Description

Building Code Clause F6 Visibility in escape routes, is about safety features for escape routes during failure of the main lighting. This clause ensures specified features in escape routes must be made reasonably visible during failure of main lighting. It applies to buildings in specific risk groups and particular locations in buildings (such as areas where dangerous machinery is installed, or any part of an escape route designed for use at any time by more than 250 people). It ensures systems for visibility operate within given percentages of their design levels and within given timeframes.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Building Code Clause F6 - Visibility in escape routes

This document is not CITED BY any other resources:

Back

Building Code Clause F6 - Visibility in escape routes

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Building Code Clause F6 Visibility in escape routes, is about safety features for escape routes during failure of the main lighting. This clause ensures specified features in escape routes must be made reasonably visible during failure of main lighting. It applies to buildings in specific risk groups and particular locations in buildings (such as areas where dangerous machinery is installed, or any part of an escape route designed for use at any time by more than 250 people). It ensures systems for visibility operate within given percentages of their design levels and within given timeframes.

[View on Information Provider website](#)

[Building Code Clause F6 - Visibility in escape routes](#)

Description

Building Code Clause F6 Visibility in escape routes, is about safety features for escape routes during failure of the main lighting. This clause ensures specified features in escape routes must be made reasonably visible during failure of main lighting. It applies to buildings in specific risk groups and particular locations in buildings (such as areas where dangerous machinery is installed, or any part of an escape route designed for use at any time by more than 250 people). It ensures systems for visibility operate within given percentages of their design levels and within given timeframes.

[View on Information Provider website](#)

This resource does not cite any other resources.

Building Code Clause F6 - Visibility in escape routes

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)