

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

## Building Code Clause G8 - Artificial Light

[View on Information Provider website](#)

{{ linkText }}

Abbreviation

NZBC G8

Valid from

21/06/2007

---

Information provider

Parliamentary Counsel Office

Information type

Legislation

Format

PDF

---

### Description

Building Code Clause G8 Artificial light requires buildings to have sufficient artificial light to safeguard people from injury. This clause requires spaces within buildings used by people to be provided with adequate artificial lighting to allow safe movement. It requires illuminance of no less than 20 lux at floor level in exitways, access routes and common spaces within buildings. (NZBC Clause F6 Visibility in escape routes applies in the event of main lighting failure).

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

{{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

# Building Code Clause G8 - Artificial Light

This document is not CITED BY any other resources:

Back

## Building Code Clause G8 - Artificial Light

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

Building Code Clause G8 Artificial light requires buildings to have sufficient artificial light to safeguard people from injury. This clause requires spaces within buildings used by people to be provided with adequate artificial lighting to allow safe movement. It requires illuminance of no less than 20 lux at floor level in exitways, access routes and common spaces within buildings. (NZBC Clause F6 Visibility in escape routes applies in the event of main lighting failure).

[View on Information Provider website](#)

[Building Code Clause G8 - Artificial Light](#)

### Description

Building Code Clause G8 Artificial light requires buildings to have sufficient artificial light to safeguard people from injury. This clause requires spaces within buildings used by people to be provided with adequate artificial lighting to allow safe movement. It requires illuminance of no less than 20 lux at floor level in exitways, access routes and common spaces within buildings. (NZBC Clause F6 Visibility in escape routes applies in the event of main lighting failure).

[View on Information Provider website](#)

This resource does not cite any other resources.

## Building Code Clause G8 - Artificial Light

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)