| Skip to main content Skip to primary navigation |
|---|
| Menu |
| |
| Home Home |
| About this portal |
| • |
| Latest updates |
| |
| |
| |
| Print Save Email |
| Resource detail |

NZS 2139:1967 Specification for heat actuated fire detectors

View on Information Provider website {{ linkText }}

Abbreviation

Citations

NZS 2139:1967

Amendment

NZS 2139:1967A1 . - incorporated. Published 29/04/1982.

Valid from

27/02/1967

Information provider

Standards New Zealand

Author

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

This resource is cited by 2 documents (show Citations)

Description

Specifies materials, design, construction and performance of heat actuated fire detectors of 6 operating temperature ranges for use in automatic fire alarm systems in buildings.

Reprinted incorporating Amendment 1:1968

For assistance with locating previous versions, please contact the information provider.

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 2139:1967 Specification for heat actuated fire detectors

This document is CITED BY:

AS/NZS 1668.1:1998

NZS 2139:1967 is cited by AS/NZS 1668.1:1998 The use of ventilation and air conditioning in buildings - Fire and smoke control in multi-compartment buildings

NZS 4332:1997

NZS 2139:1967 is cited by NZS 4332:1997 Non-domestic passenger and goods lifts

Back

NZS 2139:1967 Specification for heat actuated fire detectors

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Specifies materials, design, construction and performance of heat actuated fire detectors of 6 operating temperature ranges for use in automatic fire alarm systems in buildings.

Reprinted incorporating Amendment 1:1968

View on Information Provider website

NZS 2139:1967 Specification for heat actuated fire detectors

Description

Specifies materials, design, construction and performance of heat actuated fire detectors of 6 operating temperature ranges for use in automatic fire alarm systems in buildings.

Reprinted incorporating Amendment 1:1968

View on Information Provider website

This resource does not cite any other resources.

NZS 2139:1967 Specification for heat actuated fire detectors

| This resource does not CITE any other resources. | |
|---|--|
| Back Close | |
| Table of Contents | |
| Print Save Email Feedback | |
| | |
| | |
| Contact us Privacy policy Disclaimer Copyright | |
| | |
| | |

<u>Feedback</u>