Skip to main content Skip to primary navigation Menu Menu
 Home Home About this portal Latest updates
Print Save Email Resource detail Citations
NZS 4211:1985 Specification for performance of windows
Table of Contents View on Information Provider website Download this resource (PDF, 3.7MB) {{ linkText }}

Abbreviation

NZS 4211:1985

Amendment

A1 30/03/1987: A2 30/07/1992: A3 27/02/1994

Valid from

31/10/1985

Information provider

Standards New Zealand

Author

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

This resource is cited by 7 documents (show Citations)

Cites

This resource cites 1 document (show Citations)

Description

The Standard states the requirements for the performance of windows to be installed in exterior walls. The properties covered are strength, stiffness, dimensional accuracy, operating facility, air leakage and water leakage.

For assistance with locating previous versions, please contact the information provider.

Table of Contents View on Information Provider website Download this resource (PDF, 3.7MB) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 4211:1985 Specification for performance of windows

This document is CITED BY:

E2/AS1 (Third Edition, Amendment 4)

NZS 4211:1985 is cited by Acceptable Solution E2/AS1: External Moisture from 07/07/1992

• B1/VM1 (First edition, Amendment 10)

NZS 4211:1985 is cited by Verification Method B1/VM1: Structure - General

• E2/VM1 (Third Edition, Amendment 4)

NZS 4211:1985 is cited by Verification Method E2/VM1: External Moisture from 01/07/1992

NZS 3604:1990

NZS 4211:1985 is cited by NZS 3604:1990 Code of practice for light timber frame buildings not requiring specific design

NZS 4223.3:1999

NZS 4211:1985 is cited by NZS 4223.3:1999 Code of practice for glazing in buildings - Human impact safety requirements

NZS 4232.2:1988

NZS 4211:1985 is cited by NZS 4232.2:1988 Performance criteria for fire resisting enclosures - Fire resisting glazing systems

• SH/AS1 (First edition, unamended)

NZS 4211:1985 is cited by Simple House - Acceptable Solution Revoked

Back

NZS 4211:1985 Specification for performance of windows

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

The Standard states the requirements for the performance of windows to be installed in exterior walls. The properties covered are strength, stiffness, dimensional accuracy, operating facility, air leakage and water leakage.

View on Information Provider website Download this resource (PDF, 3.7MB)

NZS 4211:1985 Specification for performance of windows

Description

The Standard states the requirements for the performance of windows to be installed in exterior walls. The properties covered are strength, stiffness, dimensional accuracy, operating facility, air leakage and water leakage.

View on Information Provider website Download this resource (PDF, 3.7MB)

This resource cites:

NZS 4211:1985 Specification for performance of windows

This document CITES:

New Zealand Standards

• NZS 4223 Parts 1&2:1985

NZS 4211:1985 cites NZS 4223 Parts 1 and 2:1985 Code of practice for glazing in buildings - The selection and installation of manufactured sealed insulating glass units



Table of Contents

- 1 Scope
- 2 Interpretation
- 3 General
- 4 Interrelation of properties
- 5 Required performance ratings
- 6 Testing, marking and certificates
- 7 Windows for buildings not requiring specific design
- 8 Dimensional accuracy
- 9 Operating of opening sashes
- 10 Overall strength and deflection
- 11 Air leakage
- 12 Water leakage
- 13 Torsional strength for sashes
- 14 Sequence of measurements and tests
- 15 Other performance properties
- 16 New Zealand Standard Certification Mark Scheme

Appendix

- A Glossary of terms relating to windows
- B Testes for strength, air leakage and water leakage

Table

- 1 Selection of windows for buildings not requiring specific design
- 2 Wind areas
- 3 Operating force for open sashes

4 Air leakage

Figure

1 Wind areas

2 Spray nozzle layout for water application

Print Save Email			
Feedback			
		_	
Contact usPrivacy policyDisclaimerCopyright			
		_	
<u>Feedback</u>			