

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

NZS 4223.4:2000 Code of practice for glazing in buildings - Part 4: Dead, wind and snow loading

[View on Information Provider website](#)

Abbreviation

NZS 4223.4:2000

Valid from

27/11/2000

Information provider

Standards New Zealand

Author

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

Provides information on the determination of minimum glass thicknesses for vertical and sloped glazing in New Zealand governed by the limit state loadings. It supersedes the design requirements given in Part 1 concerning the selection of glazing for dead, wind and snow loading.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 4223.4:2000 Code of practice for glazing in buildings - Part 4: Dead, wind and snow loading

This document is CITED BY:

- [AS/NZS 2712:2007](#)

NZS 4223.4:2000 is cited by AS/NZS 2712:2007 Solar and heat pump water heaters - Design and construction

Back

NZS 4223.4:2000 Code of practice for glazing in buildings - Part 4: Dead, wind and snow loading

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Provides information on the determination of minimum glass thicknesses for vertical and sloped glazing in New Zealand governed by the limit state loadings. It supersedes the design requirements given in Part 1 concerning the selection of glazing for dead, wind and snow loading.

[View on Information Provider website](#)

[NZS 4223.4:2000 Code of practice for glazing in buildings - Part 4: Dead, wind and snow loading](#)

Description

Provides information on the determination of minimum glass thicknesses for vertical and sloped glazing in New Zealand governed by the limit state loadings. It supersedes the design requirements given in Part 1 concerning the selection of glazing for dead, wind and snow loading.

[View on Information Provider website](#)

This resource does not cite any other resources.

NZS 4223.4:2000 Code of practice for glazing in buildings - Part 4: Dead, wind and snow loading

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

--	--	--

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

[Feedback](#)