

Menu

- [Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

NZS 4231:1985 Specification for self-luminous exit signs.

[View on Information Provider website](#)

{{ linkText }}

Abbreviation

NZS 4231:1985

Amendment

NZS 4231:1985AA . - This amendment must be purchased separately. .

Valid from

01/01/1985

Information provider

Standards New Zealand

Author

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard is the equivalent of BS 4218:1978 - Self-energized signs for luminosity requiring no external source of power, for mounting in theatres, cinemas, etc.

Specifies energy source, lettering sizes, level and uniformity of luminance, and tests for impact, temperature, vibration and pressure. Referenced in BIA Approved Document F8.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) `{{ linkText }}`

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 4231:1985 Specification for self-luminous exit signs.

This document is CITED BY:

- [F8/AS1 \(First Edition, Amendment 1\)](#)

NZS 4231:1985 is cited by Acceptable Solution F8/AS1: Signs from 01/09/1993

Back

NZS 4231:1985 Specification for self-luminous exit signs.

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard is the equivalent of BS 4218:1978 - Self-energized signs for luminosity requiring no external source of power, for mounting in theatres, cinemas, etc.

Specifies energy source, lettering sizes, level and uniformity of luminance, and tests for impact, temperature, vibration and pressure. Referenced in BIA Approved Document F8.

[View on Information Provider website](#)

[NZS 4231:1985 Specification for self-luminous exit signs.](#)

Description

This Standard is the equivalent of BS 4218:1978 - Self-energized signs for luminosity requiring no external source of power, for mounting in theatres, cinemas, etc.

Specifies energy source, lettering sizes, level and uniformity of luminance, and tests for impact, temperature, vibration and pressure. Referenced in BIA Approved Document F8.

[View on Information Provider website](#)

This resource does not cite any other resources.

NZS 4231:1985 Specification for self-luminous exit signs.

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)