

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

# NZS 4507:1978 Specification for fire testing and rating of portable fire extinguishers

[View on Information Provider website](#)

{{ linkText }}

Abbreviation  
NZS 4507:1978

Valid from  
01/01/1978

---

Information provider  
Standards New Zealand

Author  
Standards New Zealand

Information type  
New Zealand Standard

Format  
PDF

---

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

Description

Applies to the testing of portable fire extinguishers to establish their capability in extinguishing fires classified as `A` or `B` in accordance with BS 4547. The extinguisher is given a numerical rating, for one or both classes of fire, determined in accordance with the maximum size of test fire extinguished.

[View on Information Provider website](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## NZS 4507:1978 Specification for fire testing and rating of portable fire extinguishers

This document is CITED BY:

- [NZS 5807:1980](#)

NZS 4507:1978 is cited by NZS 5807:1980 Code of practice for industrial identification by colour, wording or other coding

Back

## NZS 4507:1978 Specification for fire testing and rating of portable fire extinguishers

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

Applies to the testing of portable fire extinguishers to establish their capability in extinguishing fires classified as `A` or `B` in accordance with BS 4547. The extinguisher is given a numerical rating, for one or both classes of fire, determined in accordance with the maximum size of test fire extinguished.

[View on Information Provider website](#)

[NZS 4507:1978 Specification for fire testing and rating of portable fire extinguishers](#)

### Description

Applies to the testing of portable fire extinguishers to establish their capability in extinguishing fires classified as `A` or `B` in accordance with BS 4547. The extinguisher is given a numerical rating, for one or both classes of fire, determined in accordance with the maximum size of test fire extinguished.

[View on Information Provider website](#)

This resource does not cite any other resources.

# NZS 4507:1978 Specification for fire testing and rating of portable fire extinguishers

This resource does not CITE any other resources.

Back

Close

## Table of Contents

Print

[Save](#)

Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)