

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

NZS 7609.1:1990 Acrylonitrile butadiene styrene (ABS) pipes and fittings for pressure applications - Pipes

[View on Information Provider website](#)

Abbreviation

NZS 7609.1:1990

Amendment

NZS 7609.1:1990AA . - This amendment must be purchased separately. .

Valid from

01/01/1990

Information provider

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

(=AS 3518:Part 1:1988) Specifies performance requirements for ABS pipes up to nominal size 200 mm for pressure applications. Requirements for composition, effects on water, reversion, impact resistance, hydrostatic pressure resistance and heat ageing are included. Test methods are included as appendices.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 7609.1:1990 Acrylonitrile butadiene styrene (ABS) pipes and fittings for pressure applications - Pipes

This document is CITED BY:

- [AS/NZS 2566.1:1998](#)

NZS 7609.1:1990 is cited by AS/NZS 2566.1:1998 Buried Flexible pipelines. Structural Design

Back

NZS 7609.1:1990 Acrylonitrile butadiene styrene (ABS) pipes and fittings for pressure applications - Pipes

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

(=AS 3518:Part 1:1988) Specifies performance requirements for ABS pipes up to nominal size 200 mm for pressure applications. Requirements for composition, effects on water, reversion, impact resistance, hydrostatic pressure resistance and heat ageing are included. Test methods are included as appendices.

[View on Information Provider website](#)

[NZS 7609.1:1990 Acrylonitrile butadiene styrene \(ABS\) pipes and fittings for pressure applications - Pipes](#)

Description

(=AS 3518:Part 1:1988) Specifies performance requirements for ABS pipes up to nominal size 200 mm for pressure applications. Requirements for composition, effects on water, reversion, impact resistance, hydrostatic pressure resistance and heat ageing are included. Test methods are included as appendices.

[View on Information Provider website](#)

This resource does not cite any other resources.

NZS 7609.1:1990 Acrylonitrile butadiene styrene (ABS) pipes and fittings for pressure applications - Pipes

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)