

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

NZS 7648:1987 Unplasticized PVC pipe and fittings for pressure applications

[View on Information Provider website](#)

Abbreviation

NZS 7648:1987

Valid from

25/09/1987

Information provider

Standards New Zealand

Author

Standards New Zealand

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

Covers 5 pressure classes of UPVC pipe and solvent cemented or mechanically jointed fittings of between 10 mm and 575 mm nominal bore for use with potable water and other fluids. Specifies requirements for material, dimensions, working pressures, physical and mechanical properties, type and quality control tests and for marking. Referenced in BIA Approved Documents G12 and G14. A list of manufacturers whose products are certified as complying with this Standard is available from Standards New Zealand

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

NZS 7648:1987 Unplasticized PVC pipe and fittings for pressure applications

This document is CITED BY:

- [NZS 4614:1986](#)

NZS 7648:1987 is cited by NZS 4614:1986 Installation of domestic solar water heating systems

NZS 7648:1987 Unplasticized PVC pipe and fittings for pressure applications

Description

Covers 5 pressure classes of UPVC pipe and solvent cemented or mechanically jointed fittings of between 10 mm and 575 mm nominal bore for use with potable water and other fluids. Specifies requirements for material, dimensions, working pressures, physical and mechanical properties, type and quality control tests and for marking. Referenced in BIA Approved Documents G12 and G14. A list of manufacturers whose products are certified as complying with this Standard is available from Standards New Zealand

[View on Information Provider website](#)

[NZS 7648:1987 Unplasticized PVC pipe and fittings for pressure applications](#)

Description

Covers 5 pressure classes of UPVC pipe and solvent cemented or mechanically jointed fittings of between 10 mm and 575 mm nominal bore for use with potable water and other fluids. Specifies requirements for material, dimensions, working pressures, physical and mechanical properties, type and quality control tests and for marking. Referenced in BIA Approved Documents G12 and G14. A

list of manufacturers whose products are certified as complying with this Standard is available from Standards New Zealand

[View on Information Provider website](#)

This resource does not cite any other resources.

NZS 7648:1987 Unplasticized PVC pipe and fittings for pressure applications

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)