

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

## Roof-to-wall junction - Build 160(2017)

[View on Information Provider website](#) [Download this resource \(PDF, 298KB\)](#)

Abbreviation

Roof-to-wall junction

Valid from

01/06/2017

---

Information provider

BRANZ Limited

Information type

BUILD article

Format

PDF

---

**Description**

Article on roof to wall junctions.

New Zealand Building Code Clause E2 *External moisture* requires that roofs and external walls must prevent the penetration of water that could cause undue dampness, damage to building elements or both.

The roof/wall junction where a roof finishes within the length of an adjacent wall, combines different planes, angles and building materials, requiring careful detailing to ensure water cannot enter the building structure.

BRANZ is sometimes asked how to detail roof-to-wall junctions. The detailing can be tricky, but following the Acceptable Solution and these step-by-step illustrations will help.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [Download this resource \(PDF, 298KB\)](#) {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

## Roof-to-wall junction - Build 160(2017)

This document is not CITED BY any other resources:

Back

## Roof-to-wall junction - Build 160(2017)

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

Article on roof to wall junctions.

New Zealand Building Code Clause E2 *External moisture* requires that roofs and external walls must prevent the penetration of water that could cause undue dampness, damage to building elements or both.

The roof/wall junction where a roof finishes within the length of an adjacent wall, combines different planes, angles and building materials, requiring careful detailing to ensure water cannot enter the building structure.

BRANZ is sometimes asked how to detail roof-to-wall junctions. The detailing can be tricky, but following the Acceptable Solution and these step-by-step illustrations will help.

[View on Information Provider website](#) [Download this resource \(PDF, 298KB\)](#)

### [Roof-to-wall junction - Build 160\(2017\)](#)

### Description

Article on roof to wall junctions.

New Zealand Building Code Clause E2 *External moisture* requires that roofs and external walls must prevent the penetration of water that could cause undue dampness, damage to building elements or both.

The roof/wall junction where a roof finishes within the length of an adjacent wall, combines different planes, angles and building materials, requiring careful detailing to ensure water cannot enter the

building structure.

BRANZ is sometimes asked how to detail roof-to-wall junctions. The detailing can be tricky, but following the Acceptable Solution and these step-by-step illustrations will help.

[View on Information Provider website](#) [Download this resource \(PDF, 298KB\)](#)

This resource does not cite any other resources.

## Roof-to-wall junction - Build 160(2017)

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)