

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)

[Citations](#)

Seismic design for suspended ceilings - Build 164(2018)

[Download this resource \(PDF\)](#)

Abbreviation

Seismic design for suspended ceilings

Valid from

01/02/2018

Information provider

BRANZ Limited

Information type

BUILD article

Format

PDF

Description

Suspended ceilings fared poorly in recent earthquakes. In response, the relevant standard was revised, and there are stringent design and installation requirements to prevent collapse in a 1-in-500-year event.

For assistance with locating previous versions, please contact the information provider.

[Download this resource \(PDF\)](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

Seismic design for suspended ceilings - Build 164(2018)

This document is not CITED BY any other resources:

Back

Seismic design for suspended ceilings - Build 164(2018)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

Suspended ceilings fared poorly in recent earthquakes. In response, the relevant standard was revised, and there are stringent design and installation requirements to prevent collapse in a 1-in-500-year event.

[Download this resource \(PDF\)](#)

[Seismic design for suspended ceilings - Build 164\(2018\)](#)

Description

Suspended ceilings fared poorly in recent earthquakes. In response, the relevant standard was revised, and there are stringent design and installation requirements to prevent collapse in a 1-in-500-year event.

[Download this resource \(PDF\)](#)

This resource does not cite any other resources.

Seismic design for suspended ceilings - Build 164(2018)

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

--	--	--

--

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)